

REST Service: FleetSolver- Submit

[ROUTEPERFORM.COM](https://routeperform.com)

ROUTE PLANNING WEB SERVICES FOR DEVELOPERS

WELCOME

WELCOME TO THE FLEETSOLVER WEB SERVICE REFERENCE GUIDE. THIS SOLVER IS OUR MOST POWERFUL TOOL TO SOLVE FLEET-LEVEL ROUTING PROBLEMS THAT CAN INVOLVE DOZENS OF ROUTES AND HUNDREDS OF STOPS. THERE ARE TWO WEB SERVICES, ONE TO SUBMIT AND ONE TO RETRIEVE. THIS DOCUMENT COVERS THE SUBMIT PORTION. BOTH WEB SERVICES ARE STRAIGHTFORWARD, POWERFUL, DEPENDABLE, AND ALLOW WEB DEVELOPERS TO RAPIDLY ADD CRITICALLY IMPORTANT ROUTE PLANNING CAPABILITIES TO THEIR SOLUTION(S).

THIS DOCUMENT PROVIDES INFORMATION RELATED TO THIS SET OF WEB SERVICES ONLY. PLEASE KEEP IN MIND THAT WE OFFER A VARIETY OF PRE-BUILT WEB SERVICES. WE MAY ALSO ENHANCE EXISTING WEB SERVICES OR DEVELOP ENTIRELY NEW SERVICES CASE-BY-CASE. CONTACT US FOR MORE INFORMATION.

THE DOCUMENTATION IS INTENDED AS A COMPREHENSIVE REFERENCE MANUAL. AS A MEANS TO JUMP-START YOUR IMPLEMENTATION WE'D ALSO RECOMMEND OUR:



INTERACTIVE SDK



CODE EXAMPLES – READY TO RUN CODE FOR VARIOUS PLATFORMS

BEFORE YOU BEGIN



API KEY - TO GAIN THOSE LAVISH ACCOLADES FROM YOUR BOSSES, CUSTOMERS, PEERS AND GROUPIES, YOU FIRST NEED AN API KEY. CONTACT US FOR YOUR KEY TO GET STARTED.



GEOCODING - WE REQUIRE ALL YOUR INPUT STOPS TO BE GEOCODED (POSSESS LAT/LON COORDINATES). IF YOUR ADDRESSES ARE NOT CURRENTLY GEOCODED, YOU WILL NOT BE ABLE TO PASS THEM TO OUR SERVICE.

WE ARE AGNOSTIC AS TO WHAT DIGITAL MAP YOU PREFER TO USE. AS LONG AS YOU HAVE GEOCODED DATA YOU CAN TIE-IN TO OUR SERVICE SEAMLESSLY.



GEOGRAPHIC DATA COVERAGE - WE SUPPORT ALL OF NORTH AMERICA, THE UK, MOST ALL OF MAINLAND EUROPE, AUSTRALIA & NEW ZEALAND, A GOOD PORTION OF ASIA AND SOUTH AMERICA AND PORTIONS OF AFRICA AS WELL. IF YOU HAVE ANY QUESTIONS ABOUT YOUR LOCALE PLEASE CONTACT US.



ENCRYPTION - WE REQUIRE ALL WEB TRAFFIC BE PASSED AS ENCRYPTED (HTTPS & TLS1.2).



REST/JSON - THE FLEETSOLVER CALL IS A RESTFUL WEB SERVICE. WE USE JSON AS INPUT AND OUTPUT.

SERVICE OVERVIEW & PURPOSE

SOME KEY POINTS TO KNOW ABOUT THIS FLEETSOLVER WEB SERVICE:

- THE SERVICE IS DESIGNED TO ALLOW YOU TO OPTIMIZE DOZENS OF ROUTES AND HUNDREDS OF STOPS WHILE HANDLING FOR COMPLEX RULES LIKE TIME WINDOWS, CAPACITIES, RULES, AND MUCH MORE.
- THE SERVICE OFFERS 'FLEET SIZING' WHERE IT CAN INFORM YOU OF HOW MANY ROUTES ARE NEEDED TO ACCOMPLISH THE WORK. BY SEEKING TO MINIMIZE OVERALL COSTS, IT KNOWS TO PREVENT EXTRA DRIVING OF COURSE BUT ALSO TO ELIMINATE LABOR BOTH IN THE FORMS OF REDUCING OVERTIME AND ELIMINATING ENTIRE ROUTES WHEN POSSIBLE.
- THE SERVICE ALLOWS FOR UP TO 1,000 STOPS AND 50 ROUTES PER SOLVE.
- THE SERVICE ALLOWS YOU TO DEFINE YOUR STARTS AND ENDS AS DEPOTS AND CAN HANDLE MULTIPLE DEPOTS IN CASE YOU HAVE A GEOGRAPHICALLY COMPLEX SCENARIO RELATED TO WHERE YOUR ROUTES BEGIN AND END.
- BEAT THE TRAFFIC! THE SERVICE USES HISTORICAL AVERAGES ON THE REAL STREET NETWORK (NOT ALL COMPETITORS DO).
- ACCOUNT FOR DRIVER BREAKS AND LUNCH. STAY COMPLIANT WITH JOHNNY LAW!
- RESTRICT UNWANTED DRIVING SUCH AS AVOIDING U-TURNS, TOLL ROADS, LOW OVERPASSES FOR LARGE VEHICLES, AND MUCH MORE.

SUITABILITY

THIS PARTICULAR SET OF SERVICES OFFERS FULL-FEATURED FLEET-LEVEL ROUTE OPTIMIZATION. USERS OF THIS SERVICE RANGE FROM 1-VEHICLE OPERATIONS TO THOSE WITH DOZENS OF VEHICLES BEING ROUTED SIMULTANEOUSLY.

FLEET-WIDE ROUTE OPTIMIZATION IS DONE AS A PRE-PLANNING OPERATION. FOR INSTANCE, IT IS SUITABLE THAT YOU PLAN ROUTES FOR A WEDNESDAY ON THE TUESDAY PREVIOUS. OR PERHAPS YOU PLAN ROUTES FOR ALL OF NEXT WEEK ON THE FRIDAY PREVIOUS. THE SERVICE IS FLEXIBLE, YOU CAN PLAN FOR 1 DAY, OR MULTIPLE DAYS. YOU CAN PLAN FOR 1 DRIVER, OR MULTIPLE DRIVERS. ALSO, THE SYSTEM ALLOWS YOU TO ROUTE PLAN FOR MULTIPLE DEPOTS, SET SOPHISTICATED BUSINESS RULES LIKE TIMES, CAPACITIES, DRIVER SKILLS, VEHICLE ATTRIBUTES, WORKDAY LIMITS, AND MORE.

UNDERSTAND THEREFORE, THAT THE FLEET ROUTING SERVICE IS AT ITS STRONGEST WHEN YOU SUPPLY MANY ROUTES WORTH OF DATA AT THE SERVICE AND ALLOW IT TO DETERMINE THE 'BEST' (LEAST COSTLY) WAY TO PERFORM THE ROUTING. THE SERVICE TRIMS-OUT DRIVING, PAIRS-DOWN OVERTIME AND EVEN ELIMINATES ENTIRE INPUT ROUTES BY SIMPLY NOT USING ROUTES THAT AREN'T NEEDED. THIS IS CALLED 'FLEET SIZING' AND THIS SERVICE THEREFORE IS SUITABLE IF YOU ARE LOOKING FOR A SOLVER THAT CAN TELL YOU HOW MANY (FEW) DRIVERS/HOURS/MILES-KMS ARE NEEDED TO ACCOMPLISH THE WORK AT HAND.

IF YOU WISH TO ROUTE PLAN FOR A SINGLE ROUTE, OR IF YOU HAVE MANY ROUTES AND INTEND TO USE THEM EQUALLY, THEN YOU MAY WISH TO REVIEW THE 'SINGLE ROUTE' WEB SERVICE, IT MAY BE MORE SUITABLE FOR YOU. THIS SERVICE IS NOT SUITABLE FOR A FEW PARTICULAR CASES. FOR INSTANCE, IF YOU CANVAS STREETS THAT REQUIRE YOU TO DRIVE ALL STREETS RATHER THAN DRIVING TO PARTICULAR POINTS OR TRANSPORTING INDIVIDUALS AS PASSENGERS. SUCH ROUTING REQUIRES SPECIFIC DATA INPUT FOR MULTI-LEG TRIPS (A PERSON BEING PICKED UP, GOING TO A DOCTOR, NEXT TO A PHARMACY, THEN BEING DROPPED OFF) THAT OUR SERVICE SIMPLY ISN'T STRUCTURED TO DO BECAUSE OF THE SPECIALIZED DATA INPUT REQUIREMENT INVOLVED.

ABOUT ROUTE PLANNING

WE'D BE REMISS TO NOT GIVE YOU A LITTLE OVERVIEW ON ROUTE PLANNING ITSELF. IT TURNS OUT THAT THE MATH REQUIRED TO ACCOMPLISH ROUTE PLANNING IS REALLY HARD. IN FACT, IT IS MONUMENTALLY HARD. IT IS WHAT THEY CALL IN THE MATH WORLD AN 'N-HARD' CHALLENGE. AS IN, YOU CANNOT SOLVE IT WITH BRUTE FORCE, YOU NEED BRAINS APPLIED AS BRAWN ALONE ISN'T GOING TO CUT IT.

AS AN EXAMPLE:

3 STOPS = 6 POSSIBLE COMBINATIONS (ABC, ACB, BAC, BCA, CAB, CBA)

6 STOPS = 720 POSSIBLE COMBINATIONS

11 STOPS = 31 MILLION+ COMBINATIONS

20 STOPS = 2,432,000,000,000,000,000+ COMBINATIONS (WHOA...)

100 STOPS = $9.332621544 \times 10^{157}$ - AND YEP, WE STILL CAN SOLVE IT

FRET NOT! IF YOU ARE READING THIS DOCUMENT THEN YOU'VE FOUND THE RIGHT TOOL FOR THE JOB. WE'VE TUNED OUR SERVICE AND ALGORITHMS OVER THE COURSE OF TIME BY BUILDING TENS OF THOUSANDS OF ROUTE PLANS FOR OUR CLIENTS.

AS YOU CODE YOUR SIMPLE REQUESTS TO OUR ROUTING SERVICE YOU GET TO BE THE INSTANT BENEFICIARY OF INDUSTRY-PROVEN LOGIC THAT WILL EASILY ADD ROUTING FUNCTIONALITY TO YOUR EXISTING CORE SOFTWARE. OUR ARCHITECTURE RUNS IN THE AWS AND AZURE CLOUD TO ENSURE THE BEST POSSIBLE SCALABILITY AND RELIABILITY FOR USERS OF THIS SERVICE.

REQUESTS

THIS SERVICE ACCEPTS POST REQUESTS VIA HTTPS. THE PARAMETERS AND VALUES ARE TRANSFERRED IN THE BODY OF THE REQUEST AS JSON. THIS SERVICE RUNS ASYNCHRONOUSLY. THE 'SUBMIT' CALL WILL SEND THE JOB TO THE SERVICE AND THE 'RETRIEVE' CALL WILL LATER BE CALLED TO GATHER RESULTS. SYNTAX REQUIRED IS OUTLINED BELOW. JOBS CAN TAKE UP TO SEVERAL MINUTES TO COMPLETE. WE ASK THAT YOU CHECK ON THE RETRIEVE REQUEST NO MORE THAN EVERY 30 SECONDS.

↔ Sample Code: Request URIs

Utilizing this endpoint verifies that you have read and agree to the EULA in the appendix of this document.

<https://www.routeperform.com/services/v2/fleet-solver-submit/>

<https://www.routeperform.com/services/v2/fleet-solver-retrieve/> (noted here, but documented elsewhere)

HTTP Headers:

X-RP-ApiKey (Required)

X-RP-PassThroughGUID (Required - see below for explanation)

see below for information on body parameters

SUBMIT REQUEST PARAMETERS

THE BODY TEXT OF THE REQUEST WILL CONTAIN ALL INPUT PARAMETERS. BODY TEXT IS JSON-FORMATTED. [HTTPS://EN.WIKIPEDIA.ORG/WIKI/JSON](https://en.wikipedia.org/wiki/JSON)

↔ Sample Submit Request: An Example

```
{
  "requestOptions": {
    "routeRestrictions": {
      "uTurnPolicy": 1
    }
  },
  "depots": [
    {
      "depotID": "1",
      "depotDisplayName": "HQ",
      "latitudeY": 32.707992,
      "longitudeX": -117.160740
    },... (multiple depots can of course be provided)
  ],
  "routes": [
    {
      "routeID": "ABC",
      "routeDisplayName": "Joe Smith",
      "startDepotID": "1",
      "endDepotID": "1",
      "startRouteAsEarlyAs": 1317999600000,
      "startRouteNoLaterThan": 1317999600000,
      "capacityLimits": "1000",
      "maxTotalHours": 10.5,
      "maxDrivingHours": 8,
      "hoursBeforeOTBegins": 8
    },... (multiple routes can of course be provided)
  ],
  "inputStops": [
    {
      "stopID": "A101",
      "stopDisplayName": "Main St. Hardware",
      "latitudeY": 32.728328,
      "longitudeX": -117.171133,
      "serviceMinutes": 5,
      "capacityToDeliver": "25"
    },... (multiple stops can of course be provided)
  ]
}
```

SUBMIT REQUEST - GENERAL PARAMETERS - IN HEADERS (SEE URI ABOVE)

Parameter name	Type	Description
apiKey	string	Your unique authentication token gathered from our portal.
passthroughGUID	string	A GUID provided to uniquely identify each request. You may also pass this as a request header (recommended). The GUID should be truly unique, do not re-use the same GUID later for the retrieve request.

SUBMIT REQUEST - GENERAL PARAMETERS

Parameter name	Type	Description
requestOptions		See section below on routeRestrictions.

DEPOTS

Parameter name	Type	Description
depotID	string (50)	A unique identifier for an input depot. A value must be supplied, and values may not contain spaces. Use of only alpha and numeric characters is encouraged.
depotDisplayName	string(50)	A human-readable name for an input depot. If left blank, the depotID value will be applied.
latitudeY	double	(required) Latitude portion of the geographic coordinate. Example: 32.708328
longitudeX	double	(required) Longitude portion of the geographic coordinate. Example: -117.161133

ROUTES

Parameter name	Type	Description
routeID	string (50)	A unique identifier for an input route. A value must be supplied, and values may not contain spaces. Use of only alpha and numeric characters is encouraged.
routeDisplayName	string (50)	A human-readable name for an input route. If left blank, the routeID value will be applied.
startDepotID	string (50)	(see depot section) Note: a startDepotID must match the depotID value for a provided depot.
endDepotID	string (50)	(see depot section) Note: an endDepotID must match the depotID value for a provided depot.
startRouteAsEarlyAs	long	See Appendix A for full information. A startRouteAsEarlyAs must be provided.
startRouteNoLaterThan	long	See Appendix A for full information. A startRouteNoLaterThan must be provided. This value can match startRouteAsEarlyAs if you wish to have a fixed start time rather than a range.
capacityLimits	string	The maximum numeric quantity of the route. This can represent volume, weight, or any numeric measurement you prefer and will need to coincide with the capacity values on the stops provided. Multiple capacity values can be passed with a space between values but must remain consistent throughout.
maxTotalHours	double	Example: 10
maxDrivingHours	double	Example: 6
hoursBeforeOTBegins	double	Example: 8
maxStopsOnRoute	integer	Defaults to 99. Valid values are between 1 and 99.
maxKilometers	integer	Defaults to 999. Valid values are between 1 and 9999.
inputBreaks		(optional) See section below on breaks.
routeRules	string (250)	Rules allow you to list the skills and specialties of a route (vehicle and/or driver) such as 'lift gate;spanish speaking;level2'. Multiple rules can be passed via a semicolon delimiter. Rules are also passed for stops so that route and stop rules that match allow a route to handle or not handle any particular stop.
routeRefreshCandidates		(optional) See section below on routeRefreshCandidates.

ROUTE_REFRESH_CANDIDATES



It is possible to allow any route to 'refresh'. A refresh is a mid-route visit to a depot that will allow it to refresh (reset) its capacityLimits at that depot and therefore it enables the route to continue working. As an example, a propane delivery vehicle can distribute 2000 units per day but can only handle 700 units at any 1 time. It can therefore potentially 'refresh' twice to take on more capacity mid-route to continue to deliver propane throughout the full route's workday. Conversely, you can also refresh a vehicle to deplete it of inventory it is accruing. For instance, a vehicle performing pickups that requires a refresh to empty the vehicle to allow it to continue on.

Note: No more than 10 refresh candidates are allowed per route.

Parameter name	Type	Description
depotID	string (50)	A unique identifier for an input depot that was supplied in the depots input. The 'best' depot is chosen for the refresh and typically that is the depot closest in terms of drive time from the geographic point where/when the capacity constraints were reached on the route.
minutesAtRefresh	double	The number of minutes to perform the refresh upon arrival at the depot. Must be non-negative and less than 999 minutes per stop.

```
"routeRefreshCandidates": [  
  {  
    "depotID": "HQ",  
    "minutesAtRefresh": 15  
  },  
  {  
    "depotID": "Annex",  
    "minutesAtRefresh": 20  
  }  
]
```

ROUTERESTRICTIONS

Parameter name	Type	Description
vehicleType	integer	Valid values: <ul style="list-style-type: none"> • 1 - Any vehicle (default) • 2 - Large/Commercial vehicle This will then avoid street segments with commercial street avoidance (such as parkways), be less likely to traverse residential streets, etc.
tollRoadPolicy	integer	Valid values: <ul style="list-style-type: none"> • 1 - Avoid when possible • 2 - Indifferent (default) • 3 - Prefer
uTurnPolicy	integer	Valid values: <ul style="list-style-type: none"> • 1 - Freely allow (default) • 2 - Allow • 3 - Discourage • 4 - Prohibit Even when fully prohibited, u-turns may still be necessary at some dead-ends or stops to ensure continuity. Side-of-street approach settings can be coupled with u-turns to further discourage any/all u-turns.
superhighwayPolicy	Integer	Valid values: <ul style="list-style-type: none"> • 1 - Avoid when possible • 2 - Indifferent (default) • 3 - Prefer
weightRestriction	double	(optional, only applied for vehicleType of large/commercial) A value in kilograms used to limit street selection. For instance, a 10,000 kg vehicle can't traverse a bridge with a 9,000 kg limit.
heightRestriction	double	(optional, only applied for vehicleType of large/commercial) A value in

		meters used to limit street selection. A value in meters used to limit street selection.
widthRestriction	double	(optional, only applied for vehicleType of large/commercial) A value in meters used to limit street selection.
lengthRestriction	double	(optional, only applied for vehicleType of large/commerciral) A value in meters used to limit street selection.

INPUTSTOPS



Note: No more than 1000 stops can be supplied.

Note: All stops should be in one contiguous region within several hundred miles/kms of each other.

Parameter name	Type	Description
stopID	string (50)	A unique identifier for an input stop. A value must be supplied, and values may not contain spaces or pipes. Use of only alpha and numeric characters is encouraged.
stopDisplayName	string (50)	A human-readable name for display used in the response. If left blank, the stopID value will be applied.
latitudeY	double	(required) Latitude portion of the geographic coordinate. Example: 32.708328
longitudeX	double	(required) Longitude portion of the geographic coordinate. Example: -117.161133
serviceMinutes	double	The number of minutes to service the stop upon arrival. Must be non-negative and less than 999 minutes per stop.
capacityToDeliver	string	Optional. The numeric quantity to be delivered at this stop. This can represent volume, weight, or any numeric measurement you prefer and will need to coincide with the capacity limits provided for your routes. Multiple capacity values can be passed with a space between values but must remain consistent throughout.
capacityToPickUp	string	Optional. The numeric quantity to be picked-up at this stop. This can represent volume, weight, or any numeric measurement you prefer and will need to coincide with the capacity limits provided for your routes. Multiple capacity values can be passed with a space between values but must remain consistent throughout.

timeWindow1Start	long	Optional. Used to specify the start time of a time window of arrival. A timeWindow1Start must accompany and precede a timeWindow1End. Wider time window durations make for better optimization. See Appendix A for full information.
timeWindow1End	long	Optional. Used to specify the end time of a time window of arrival. A timeWindow1Start must accompany and precede a timeWindow1End. Wider time window durations make for better optimization. See Appendix A for full information.
timeWindow1MaxViolationMinutes	integer	Regardless of value, violation (late) minutes are undesirable, and the solver will seek to minimize them. This setting allows you to set the severity of their curtailment. If provided as 0, the time window will be 'hard' (inflexible). This can result in unrouted work orders but will eliminate planned lateness. Positive numbers allow for 'soft' time windows limited in minutes to the value passed. Lack of a parameter (or null parameter) will result in 'soft' time windows without a specified limit. Negative numbers and those exceeding 999 and not supported.
routeRules	string (250)	Optional. Rules allow you to list the skills and specialties required to complete this stop. For example, 'lift gate;spanish speaking;level2'. Multiple rules can be passed via a semicolon delimiter. Rules are also passed for routes so that route and stop rules that match allow a route to handle or not handle this particular stop.
pairingID	string (50)	Optional. Exactly two stops can share a unique pairingID

		that connects them. The stop then with a positive 'capacityToPickUp' value is done as the 1 st part, and the common paired stop with a positive 'capacityToDeliver' value is done as the 2 nd part. If supplied, values may not contain spaces or pipes. Use of only alpha and numeric characters is encouraged.
priority	string (10)	Optional. Valid values: <ul style="list-style-type: none"> • "highest" • "normal" (default) If not all stops can be routed then stops with elevated priority values will attempt to be routed and potentially forsake stops without elevated priority values. For example, if you supply 100 stops with 50 elevated, and the routes are limited to handle 80 total stops then it likely will route all 50 elevated priority stops, and 'back fill' the most advantageous 30 of the 50 non-elevated stops within the 80 total stops selected to be routed.
curbApproach	integer	Optional. Valid values: <ul style="list-style-type: none"> • 0 - Either side (default) • 1 - Left only • 2 - Right only • 3 - Either side with U-turn at stop discouraged Note: One way streets may render curbApproach values meaningless for particular stops.

INPUTBREAKS



Note: No more than 3 breaks can be supplied per route.

Note: Each break must be chronologically before the next.

Note: Breaks will not be applied after end depots. Breaks may apply back-to-back if the previous break's duration is long enough to justify the next break to be immediately taken (this is a rare condition).

Parameter name	Type	Description
breakID	integer	A unique identifier for an input break. Typically, an incremented integer.
breakDurationInMinutes	double	(required) Must be positive and may not exceed 120 minutes.
breakApplyAfterXMinutes	double	(required) Must be positive and may not exceed 1000 minutes. Each break's value must be chronologically later than a previous break's value.

```
"inputBreaks": [  
  {  
    "breakID": 1,  
    "breakDurationInMinutes": 15,  
    "breakApplyAfterXMinutes": 120  
  },  
  {  
    "breakID": 2,  
    "breakDurationInMinutes": 30,  
    "breakApplyAfterXMinutes": 240  
  }  
]
```

SUBMIT RESPONSE – OVERVIEW

REVIEW THE HTTPSTATUSCODE FIRST. VALUE 200 'OK' CONFIRMS THE SERVICE RETURNED A RESPONSE BUT DOES NOT VERIFY THAT THE JOB STATUS COULD BE RETURNED. IN THE EVENT SUCH AS BAD INPUT DATA IT COULD FOR INSTANCE RETURN A 200 'OK' BUT LACK JOB STATUS RESULTS.

THE POSSIBLE HTTPSTATUSCODE RETURN VALUES ARE PLENTIFUL. FOR EXAMPLE: [HTTPS://EN.WIKIPEDIA.ORG/WIKI/LIST_OF_HTTP_STATUS_CODES](https://en.wikipedia.org/wiki/List_of_HTTP_status_codes)

THE BODY TEXT OF THE RESPONSE WILL CONTAIN ALL OUTPUT RESULTS. THIS BODY TEXT RETURNED WILL BE JSON-FORMATTED.

THE HTTP CONTENT-TYPE IS "APPLICATION/JSON;CHARSET=UTF-8"

ABOUT JSON:

[HTTPS://EN.WIKIPEDIA.ORG/WIKI/JSON](https://en.wikipedia.org/wiki/JSON)

THE RESULTCODE VALUE WILL VERIFY THE SUCCESS OR FAILURE OF THE REQUEST. APPENDIX B LISTS ALL POSSIBLE RESULT CODES.

```
⏪ {
  "passThroughGUID": "{the GUID you provided}",
  "outcome": {
    "resultCode": 2000,
    "resultCodeDesc": "Successfully submitted",
    "routingJobID": "xyz123..."
  }
}
```

SUBMIT RESPONSE - CONTENT

THE BODY TEXT OF THE RESPONSE WILL CONTAIN ALL OUTPUT RESULTS. THIS BODY TEXT RETURNED WILL BE JSON-FORMATTED.

RESPONSE - GENERAL OUTPUT

Element name	Type	Description
passthroughGUID	string	A GUID provided to uniquely identify each request that is output in the response.

RESPONSE-OUTCOME

Element name	Type	Description
resultCode	integer	See Appendix B for full information.
resultCodeDesc	string	Text that is a readable representation of the result code returned.
routingJobID	string	This unique system-generated identifier confirms that your job is queued and you will use this as input for the 'retrieve' web service request to gather job results.

APPENDIX A – INPUT TIMES

HANDLING TIMES IS TRICKY, MAINLY BECAUSE ROUTE PLANS CAN SPAN TIME ZONES. ROUTE PLANS CAN ALSO SPAN DAYS (PAST MIDNIGHT AND BEYOND). TIME OF DAY ALSO MATTERS FOR TRAFFIC-RELATED ASPECTS. THE SIMPLE SYSTEM DESCRIBED BELOW MUST BE USED FOR FORMATTING TIMES TO SAFEGUARD AGAINST ANY AMBIGUITY RELATED TO INPUT TIMES.

EPOCH TIME (AKA UNIX TIME) – WE USE EPOCH TIME TO PASS VALUES AS LONG NUMBERS. EPOCH TIME AS A STANDARD HAS ALLOWED THE COMPUTING WORLD TO PUT ITS FOOT IN THE SAND AT A CHOSEN POINT (1970) AND TO STANDARDIZE TIMES AS SECONDS PAST THAT PARTICULAR MOMENT IN TIME.

[HTTPS://EN.WIKIPEDIA.ORG/WIKI/UNIX_TIME](https://en.wikipedia.org/wiki/Unix_time)

ALSO, UTC TIMES ARE USED EXCLUSIVELY.

[HTTPS://EN.WIKIPEDIA.ORG/WIKI/COORDINATED_UNIVERSAL_TIME](https://en.wikipedia.org/wiki/Coordinated_Universal_Time)

NOTE THAT YOU MUST SUPPLY MILLISECONDS AS WELL, THIS IS IMPORTANT THAT YOU ADD MILLISECONDS FOR YOUR INPUT TIMES.

NOTE THAT INPUT TIMES PRIOR TO JAN 1, 2000 ARE DISALLOWED.

TRAFFIC IMPLICATIONS: 

A ROUTE START DEPOT AND START TIME ARE REQUIRED INPUTS. BY PROVIDING THE START DEPOT AND START TIME YOU ENABLE THE SYSTEM TO BE TIME-AWARE AND THEREFORE TO RETURN ROUTE PLANS THAT MOST LIKELY MIRROR THEIR REAL-WORLD ACTIVITY.

‘EXPECTED TRAFFIC’ - HISTORICAL TRAFFIC AVERAGES ARE USED FOR PLANNING. SINCE WE ARE DOING ADVANCE PLANNING, WE USE TIME STUDIES FOR KNOWN TRAFFIC AND APPLY THAT KNOWN/EXPECTED ACTIVITY FOR THE PLANS THAT YOU GENERATE.

IT DOES NOT MATTER IF YOU CHOOSE A DATE THAT IS A MONTH AGO OR YEAR AGO OR A MONTH AHEAD OR YEAR AHEAD... IT WILL USE THE EXPECTED TRAFFIC BASED

ON HISTORICAL AVERAGES. IN OTHER WORDS, IF YOU GIVE IT A DATE FROM 1980 THEN YOU DON'T HAVE TO WORRY THAT IT IS USING TRAFFIC ACTIVITY FROM DECADES AGO, IT WILL USE THE LATEST PERTINENT DATA SET OF HISTORICAL AVERAGES. FOR INSTANCE, IF IT IS A FRIDAY AND YOU ARE PLANNING ROUTES FOR NEXT WEDNESDAY, THEN IT IS PROPER TO USE HISTORICAL AVERAGES FOR THAT PURPOSE AND TO CHOOSE A WEDNESDAY DATE (PAST OR FUTURE) TO BE PASSED IN TO TRIGGER THE SOLVER TO USE TYPICAL WEDNESDAY TRAFFIC IN THE EQUATION.

THIS IS BEING RESTATED FOR EMPHASIS, THE WEEKDAY SUPPLIED FOR THE START IS IMPACTFUL. FOR INSTANCE, A FRIDAY MIGHT HAVE MUCH HEAVIER TRAFFIC THAN A SUNDAY. IT IS BEST IF YOU KNOW THE WEEKDAY THAT THE PLANNED ROUTE WILL BE RUN TO MATCH IT WITH A HISTORICALLY CHOSEN MATCHING WEEKDAY. (FOR INSTANCE, APPLY FRIDAY AVERAGES TO A ROUTE TO BE RUN ON A FUTURE FRIDAY.) OR YOU CAN JUST SET ALL PLANNED ROUTES TO RUN AS THEY WOULD ON A FRIDAY (LET'S SAY THAT IS YOUR BUSIEST TRAFFIC DAY) REGARDLESS OF WHAT DAY THEY MIGHT ACTUALLY RUN. THIS ALLOWS YOU TO ERROR ON THE SIDE OF CAUTION ESSENTIALLY BUT SLOWING-DOWN THE ROUTES NOMINALLY AS A PRECAUTION.

THE START TIME ALSO MATTERS AS OUR SERVICE POSSESSES TIME STUDIES FROM EVERY FEW MINUTES SO PROVIDING A VALID START TIME ALLOWS YOU TO ACCOUNT FOR RUSH HOUR AND THE GENERAL EBB AND FLOW OF TRAFFIC AS IT EVOLVES THROUGHOUT THE DAY.

TIME ZONE IMPLICATIONS: 

IF YOU TRAVERSE MULTIPLE TIME ZONES, YOU MUST SUPPLY A START DEPOT AND A ROUTE START TIME. THE START TIME SHOULD BE REPRESENTATIVE OF THAT LOCAL TIME FOR THAT START DEPOT'S LOCATION (BUT TRANSLATED TO UTC WHEN SENT TO THE SERVICE).

ALL TIMES SUPPLIED AS TIME WINDOWS SHOULD BE RELATIVE THEN TO THAT START DEPOT'S TIME ZONE (AGAIN, UTC TRANSLATED BEFORE BEING SUBMITTED). IF A STOP'S TIME WINDOW IS 1 TIME ZONE (1 HOUR) DIFFERENT THAN THE START DEPOT'S TIME ZONE THEN YOU'D NEED TO ADJUST THE DATA SUPPLIED TO ACCOUNT FOR THIS.

ALL TIMES RETURNED BY THE SERVICE WILL BE IN RELATION TO THAT START DEPOT'S START TIME (IN UTC). SO EVEN IF YOU 'CHANGE' TIME BY CROSSING TO ANOTHER TIME ZONE, THE ESTIMATED TIMES OF ARRIVAL WON'T FLIP TO THE LOCAL TIME FOR ANY PARTICULAR STOP BUT INSTEAD WOULD STAY CONSISTENT TO THE START LOCATION'S TIME ZONE THROUGHOUT.

AS YOU MAY KNOW, TIME ZONES AREN'T CONSTANT THROUGH TIME BUT RATHER CAN IMPOSE TIMES BASED ON THE TIME OF YEAR. THE SUM TOTAL OF THIS COMPLEXITY LEADS US TO SIMPLY MAINTAIN A CONSISTENT USE OF TIMES BASED ON THE START DEPOT'S START TIME AS WE HANDLE ROUTE PLANNING SERVICES.

EXAMPLE:

LET US PLAN A ROUTE FOR AN UPCOMING FRIDAY. IN SUCH CASES, YOU'LL MOST LIKELY WANT TO USE A 'TYPICAL' FRIDAY FOR TRAVEL SPEEDS AS THEY WILL LIKELY BE REPRESENTATIVE OF THE UPCOMING FRIDAY.

WE'LL REFERENCE A PARTICULAR HISTORIC FRIDAY BY DATE. LET'S CHOOSE FRIDAY, OCTOBER 7, 2011 FOR THIS EXAMPLE. (YOU COULD CHOOSE ANY FUTURE OR HISTORIC FRIDAY FOR THIS PURPOSE, THE KEY IS THAT YOU HAVE SET IT TO USE FUTURE PLANNING WITHIN YOUR OPTIONS AREA).

LET'S SAY ALSO WE ARE PLANNING A ROUTE ORIGINATING IN LOS ANGELES, CA THAT WILL START IN PACIFIC TIME. LET'S START IT AT 8:00 AM LOCAL.

THE FIRST STEP IS TO CONVERT THE 8:00 AM TIME TO UTC TIME. THIS WILL IRON-OUT ANY CONSIDERATIONS HAVING TO DO WITH DAYLIGHT SAVINGS TIME OR STANDARD TIME FOR THAT TIME ZONE FOR THAT DATE. UTC TIME ESSENTIALLY UNDERSTANDS THE 'OFFSET' FOR YOUR TIME ZONE. MOST EVERY PROGRAMMING LANGUAGE HAS A '.TOUNIVERSALTIME' (OR SIMILAR) FOR THIS PURPOSE. FOR THIS OCT 7TH DATE THAT WAS CHOSEN, THE UTC OFFSET IS -7 HOURS WHERE 8:00 AM LOCAL EQUATES TO 3:00 PM GMT (UTC).

THE NEXT STEP THEN IS TO CONVERT THE UTC TIME TO UNIX/EPOCH. YOU'LL WANT TO DO THIS IN CODE, BUT YOU CAN DOUBLE-CHECK YOUR VALUES VIA THIS WEBSITE: [HTTPS://WWW.EPOCHCONVERTER.COM/](https://www.epochconverter.com/)

DATE/TIME CONVERSION RESULTS:

LOCAL TIME (PACIFIC): OCT 7TH, 2011 @ 8:00 AM

GMT/UTC TIME: OCT 7TH, 2011 @ 3:00 PM (-7)

EPOCH TIME IN MILLISECONDS: 1317999600000

THE EPOCH TIME IS WHAT YOU'LL SUPPLY TO US. IT IS IMPERATIVE THAT YOU CONVERT TIMES TO UTC TIMES BEFORE DERIVING THE EPOCH TIME THAT YOU SUPPLY.

APPENDIX B – RESULT CODES

RESULTCODES

Result Code	Value	Notes
SuccessfullyProcessed	2000	Not to be confused with the http result code of 200.
NotProcessed	0	
ErrorNoAPIKeySupplied	1	
ErrorInvalidAPIKeySupplied	2	
ErrorInvalidRequestSupplied	10	Please verify your JSON data is in valid format.
ErrorDuringPreValidation	20	General error when validating input data.
ErrorDuringWrappingRequest	21	Internal.
ErrorDuringWrappingProcessing	22	Internal.
ErrorDuringWrappingCallout	23	Internal.
ErrorDuringProcessingRequest	24	Internal.
ErrorNoInputDepotsSupplied	1000	
ErrorTooManyInputDepotsSupplied	1001	
ErrorZeroLengthDepotID	1002	
ErrorTooLengthyDepotID	1003	
ErrorDepotIDContainedIllegalCharacter	1004	Disallowed : Pipe() : Carat(^)
ErrorDepotIDValueProvidedWasNotUnique	1005	
ErrorDepotInvalidLatLonValueProvided	1006	
ErrorDepotDisplayNameContainedInvalidCharacter	1007	
ErrorNoInputRoutesSupplied	1100	
ErrorTooManyInputRoutesSupplied	1101	
ErrorZeroLengthRouteID	1102	
ErrorTooLengthyRouteID	1103	

ErrorRouteIDContainedIllegalCharacter	1104	Disallowed : Pipe() : Carat(^)
ErrorRouteIDValueProvidedWasNotUnique	1105	
ErrorRouteHasNoDepot	1106	
ErrorRouteHasInvalidDepotID	1107	
ErrorRouteDisplayNameContainedIllegalCharacter	1108	Disallowed : Pipe() : Carat(^)
ErrorTooLengthyRouteDisplayName	1109	
ErrorRouteMaxDrivingExceedsMaxTotal	1110	
ErrorRouteOTBeginsExceedsMaxTotal	1111	
ErrorRouteMaxTotalHoursTooBrief	1112	
ErrorRouteMaxDrivingHoursTooBrief	1113	
ErrorRouteOTBeginsHourTooBrief	1114	
ErrorRouteHasTooManyBreaks	1115	
ErrorRouteBreakDurationInvalid	1116	
ErrorRouteStartTimesMissingOrInvalid	1117	
ErrorRouteLatestStartTimeIsBeforeEarliest	1118	
ErrorRouteHadTooLengthyOfRouteRules	1119	
ErrorRouteHadRouteRuleContainedIllegalCharacter	1120	
ErrorBreakStartAfterValueWasInvalid	1121	
ErrorBreakStartAfterValueWasSuppliedOutOfOrder	1122	
ErrorRouteMaxKilometersValueIsInvalid	1130	
ErrorRouteMaxStopsOnRouteValueIsInvalid	1140	
ErrorTooManyInputRouteRefreshCandidates	1160	
ErrorZeroLengthDepotIDSuppliedForARouteRefreshCandidate	1161	
ErrorRouteRefreshCandidateDepotIDNotFoundInDepotsInput	1162	
ErrorDepotIDValueProvidedForARouteRefreshCandidateWasNotUnique	1163	
ErrorNoInputStopsSupplied	1200	
ErrorTooManyInputStopsSupplied	1201	
ErrorZeroLengthStopID	1203	
ErrorTooLengthyStopID	1204	
ErrorStopIDContainedIllegalCharacter	1205	Disallowed : Pipe() : Carat(^)
ErrorStopIDValueProvidedWasNotUnique	1206	
ErrorInvalidLatLonValueProvidedForStop	1207	
ErrorStopLockOnRouteIDWasUnknownRouteID	1208	
ErrorStopDisplayNameContainedIllegalCharacter	1209	Disallowed : Pipe() : Carat(^)
ErrorStopTime1EndBeforeTimeWindow1Start	1210	
ErrorStopHadTooLengthyOfRouteRules	1220	
ErrorStopHadRouteRuleContainedIllegalCharacter	1221	
ErrorTooLengthyPairingID	1230	
ErrorPairingIDContainedIllegalCharacter	1231	
ErrorPairingIDHadNoItemAsDelivery	1235	
ErrorPairingIDHadNoItemAsPickUp	1236	
ErrorPairingIDHadMultipleDeliveries	1237	
ErrorPairingIDHadMultiplePickUps	1238	
ErrorPairingIDButNoDeliveryOrPickupValue	1239	

ErrorDuringProcessing	1500	Internal.
ErrorDuringReturnValueHandling	1501	Internal.

APPENDIX C – END USER LICENSE AGREEMENT (EULA)

LICENSE AGREEMENT *** IMPORTANT *** PLEASE READ CAREFULLY

THIS SOFTWARE LICENSE AGREEMENT MUST BE READ IN ITS ENTIRETY BEFORE YOU USE THIS SOFTWARE OR SERVICE. IF YOU DO NOT AGREE WITH ALL TERMS AND CONDITIONS LISTED BELOW THEN YOU ARE NOT LICENSED TO UTILIZE THIS SOFTWARE OR SERVICE. UNLESS SUPERSEDED BY A SIGNED LICENSE AGREEMENT BETWEEN YOU AND VENDOR, VENDOR IS WILLING TO LICENSE SOFTWARE, DATA, WEB SERVICES, OR DOCUMENTATION TO YOU IF YOU ACCEPT ALL TERMS AND CONDITIONS CONTAINED IN THIS LICENSE AGREEMENT. BY UTILIZING ANY PRODUCT ENDPOINT YOU HAVE MANIFESTED YOUR ASSENT TO THE TERMS AND CONDITIONS OF THE LICENSE AGREEMENT. IF YOU DO NOT AGREE TO THE TERMS AND CONDITIONS AS STATED, THEN VENDOR IS UNWILLING TO LICENSE SOFTWARE, DATA, WEB SERVICES, OR DOCUMENTATION TO YOU.

VENDOR LICENSE AGREEMENT

ARTICLE 1- DEFINITIONS

a) 'Vendor' is RouteSolutions, Inc. The RoutePerform web service(s) are exclusively the product and service referenced in this document.

b) 'Beta' means any alpha, beta, or prerelease Software, Data, Web Services or Documentation.

c) 'Software' means all or any portion of proprietary software technology, provided by vendor, accessed or downloaded from an authorized vendor web site or delivered on any media in any format from vendor.

d) 'Term License' means licenses provided for use in a limited time period or on a subscription or transaction basis.

e) 'Customer' refers to the person, company, organization that has agreed to this license agreement and desires to test, subscribe to, or purchase this Software product.

ARTICLE 2 - BETA AND EVALUATION

Beta Considerations - Licensee may be accepted into a current Beta Testing Program. If accepted into the Beta Testing Program, vendor will provide the Licensee access to Beta and will grant Licensee a personal, nonexclusive, nontransferable, royalty-free license to use Beta at the authorized and identified test sites solely for the purpose of testing Beta as delivered, in accordance with the Beta Testing Program guidelines and the terms of this License Agreement. The grant of this license is effective from the date accepted into the program or date of receipt of any Beta until the date of commercial release of the Software from vendor Customer Service or the date of

termination of the Beta Testing Program for the specific Beta, whichever is sooner.

Beta Responsibilities - Licensee agrees to provide suggestions or comments regarding performance, usability, or effectiveness, bug reports, test reports, or other feedback (collectively, 'Feedback') to vendor with respect to Beta. Vendor retains title to such comments and may freely use, disclose, reproduce, license, distribute, and otherwise commercialize any Feedback produced from Beta.

Beta Limitation of Liability - Beta is subject to change prior to its commercial release or may never be commercially released. Licensee acknowledges that Beta is not suitable or licensed for full use in any production system and accepts all responsibility for use and any results generated.

Evaluation Considerations - You may use a copy of the trial version of this Software only for the amount of time specified in the Software, in the materials accompanying the Software, or of the time period provided via direct correspondence with vendor representatives. Vendor reserves the right to cancel any evaluation at any time for any reason. Unless you've purchased a license based on the evaluation provided, you must uninstall the evaluation once the evaluation time period limit is reached.

ARTICLE 3 - INTELLECTUAL PROPERTY RIGHTS AND RESERVATION OF OWNERSHIP

Software, Data, Web Services and Documentation are licensed, and not sold. Vendor and its licensors own Software, Data, Web Services, and Documentation, which are protected by United States and applicable international laws, treaties, and conventions regarding intellectual property and proprietary rights including trade secrets. Licensee agrees to use reasonable means to protect Software, Data, Web Services, and Documentation from unauthorized use, reproduction, distribution, or publication. Vendor and its third-party licensors reserve rights not specifically granted in this License Agreement including the right to change and improve the Software, Data, Web Services and Documentation.

ARTICLE 4 - GRANT OF LICENSE

Vendor ('us', 'we', 'our') grants you ('you' and 'your' means you or the legal entity identified in the registration process that you are authorized to represent and on whose behalf the Software is licensed) the following rights provided that you comply with all of the terms and conditions of this agreement.

You may not use this Software to transmit, sell, license or deliver any infringing, defamatory, offensive, or illegal products, services, or materials. You may not use any means to re-route this service, sell or sublet, or attempt to modify this Software. You may not decompile or utilize the application source code under penalty of law. You may not distribute your login credentials or key codes to 3rd parties, or those who have not entered into an agreement with vendor.

ARTICLE 5 - WARRANTIES

Media Warranty. (Not applicable, product is delivered electronically.)
Software Warranty. LIMITED WARRANTY FOR SOFTWARE PRODUCTS ACQUIRED IN THE US AND CANADA.

IN NO EVENT IS VENDOR LIABLE TO YOU OR ANY THIRD PARTY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES (INDIRECT, SPECIAL, PUNITIVE, OR EXEMPLARY DAMAGES FOR LOSS OF BUSINESS, LOSS OF PROFITS, BUSINESS INTERRUPTION, OR LOSS OF BUSINESS INFORMATION) ARISING OUT OF THE USE OF OR INABILITY TO USE THE PROGRAM, OR FOR

ANY CLAIM BY ANY OTHER PARTY, EVEN IF VENDOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. VENDOR AGGREGATE LIABILITY WITH RESPECT TO ITS OBLIGATIONS UNDER THIS AGREEMENT OR OTHERWISE WITH RESPECT TO THE SOFTWARE AND DOCUMENTATION OR OTHERWISE SHALL NOT EXCEED THE AMOUNT OF THE LICENSE FEE PAID BY YOU FOR THE SOFTWARE AND DOCUMENTATION. BECAUSE SOME STATES/COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU. VENDOR DOES NOT WARRANT CONSTANT UP-TIME FOR THIS SOFTWARE. If an implied warranty or condition is created by your state/jurisdiction and federal or state/provincial law prohibits disclaimer of it, you also have an implied warranty or condition, BUT ONLY AS TO DEFECTS DISCOVERED DURING THE PERIOD OF THIS LIMITED WARRANTY (THIRTY DAYS). AS TO ANY DEFECTS DISCOVERED AFTER THE THIRTY (30) DAY PERIOD, THERE IS NO WARRANTY OR CONDITION OF ANY KIND. Some states/jurisdictions do not allow limitations on how long an implied warranty or condition lasts, so the above limitation may not apply to you. Any supplements or updates to the Software, including without limitation, any (if any) service packs or hot fixes provided to you are not covered by any warranty or condition, express, implied or statutory. LIMITATION ON REMEDIES; NO CONSEQUENTIAL OR OTHER DAMAGES. Your exclusive remedy for any breach of this Limited Warranty is as set forth below. Except for any refund elected by vendor, YOU ARE NOT ENTITLED TO ANY DAMAGES, INCLUDING BUT NOT LIMITED TO CONSEQUENTIAL DAMAGES, if the Software does not meet vendor's Limited Warranty, and, to the maximum extent allowed by applicable law, even if any remedy fails of its essential purpose. Vendor and its suppliers' entire liability and your exclusive remedy shall be, at vendor's option from time to time exercised subject to applicable law, (a) return of the price paid (if any) for the Software Product, or (b) repair or replacement of the Software Product, that does not meet this Limited Warranty and that is returned to vendor with a copy of your receipt. You will receive the remedy elected by vendor without charge, except that you are responsible for any expenses you may incur. This Limited Warranty is void if failure of the Software Product has resulted from accident, abuse, misapplication, abnormal use, or a virus. Outside the United States or Canada, neither these remedies nor any product support services offered by vendor are available without proof of purchase from an authorized international source. To exercise your remedy, contact vendor in writing such as by email or physical mail.

ARTICLE 6 - CHANGES OR CANCELLATIONS TO THE SOFTWARE; SERVICE; DATA; DOCUMENTATION"

"Vendor shall have no obligation to update or maintain the Software or to correct operating errors in the Software in an ongoing basis. If vendor chooses to maintain the Software, any updates, corrections, or new versions of the Software will be provided to Customer at vendor's discretion. Such updates, corrections, or new versions shall become part of the Software and shall be subject to all the terms and conditions of this Agreement. Vendor may change the service or APIs at any time and for any reason. Such changes may include the removal of features, or the change of fees required for any particular service or functionality.

ARTICLE 7 - CONFIDENTIALITY

Customer acknowledges and agrees that the Software is confidential and proprietary to vendor and that Customer has no rights in the Software except to use the same in accordance with the provisions of this Agreement. Customer shall maintain the confidentiality of the Software, shall not make the

Software available to any third party, and shall not use the Software for any purpose not permitted under this Agreement.

ARTICLE 8 - TAXATION

Vendor delivers this software electronically and does not collect sales or use tax for residents of US states in which it operates. You should confirm that your local, state, or federal government does not impose any sales or use tax on electronically delivered software. You are entirely liable for any such sales or use tax.

ARTICLE 9 - LIMITATIONS OF LIABILITY

VENDOR MAKES NO WARRANTY, EXPRESS OR IMPLIED, WHETHER OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR USE, WITH RESPECT TO THE SOFTWARE, OTHER THAN THE WARRANTY SET FORTH ABOVE. IN NO EVENT SHALL VENDOR BE LIABLE FOR ANY SPECIAL, INDIRECT, CONSEQUENTIAL, OR INCIDENTAL DAMAGES ARISING OUT OF THIS AGREEMENT OR CUSTOMER'S USE OR INABILITY TO USE THE SOFTWARE, HOWEVER OCCURRING. IN NO EVENT SHALL VENDOR'S LIABILITY TO THE CUSTOMER UNDER THIS AGREEMENT OR OTHERWISE WITH RESPECT TO THE SOFTWARE EXCEED LICENSE FEE PAID BY CUSTOMER FOR THE SOFTWARE.

Internet Data Transmission. Customer understands that data may be sent across the Internet and related data may be returned across the Internet, such as for purposes Software authorization. Data sent via the internet may or may not be encrypted, and therefore the Customer is responsible to not store confidential information within this Software product. Passwords chosen by the user, as well as all user-entered information should be specific to this product and not used for other password purposes.

User Data Collection. User information such as name, IP Address, and dates of activity may be evaluated and also captured by vendor such as for Software authentication purposes. This data is required to verify users across a public domain on occasion and secures our Software from certain piracy. Data will not be shared publicly or openly with 3rd party companies under any circumstances.

This Agreement constitutes the entire agreement between the parties with respect to the Software and may not be amended or modified except in a written document duly executed by both parties. This Agreement may not be varied by the terms of any purchase order, acknowledgment form, invoice, or other document issued by either party.

02/08/2020